2004 MP Index

A Guide to *MP* Volume 43
2004 Subject Index

This is an alphabetical listing of primary topics included in Volume 43 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 73.

ANODES
See also CATHODIC AND ANODIC PROTECTION
Magnesium Anodes—A Quality Crisis?, 1-28
Performance Efficiency of High-Potential Mg Anodes for Cathodically Protecting Iron Water Mains, 5-28
Resistance of Impressed Current Grid Anodes for Aboveground Storage Tank Bottoms, 9-18

BACTERIA
See MICROBIAL ATTACK

CATHODIC AND ANODIC PROTECTION
See also ANODES
A Permanently Buried Clamp-on Direct Current Ammeter Sensor, 2-20
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Case Study: Silicon Iron as an Alternative to Copper Grounding Electrodes—Impact on Cathodic Protection, 12-20
Cathodic Protection of Fuel Pipelines Under Difficult Conditions at a Commercial Airport, 1-24
Cathodic Protection of Well Casings in Abu Dhabi, 8-18
Controlling Corrosion of Port Infrastructure, 10-20
Corrosion Basics: Effects of Coating on Corrosion and Cathodic Protection, 6-68
Corrosion Basics: Effects of Corrosion and Cathodic Protection on a Coating, 9-60
Corrosion Basics: Electrolyte Resistivity, p. 66
Corrosion Control on Tank Bottoms Within Spill-Containment Systems, 3-22
Development and Testing of a Field-Applied Coating for High-Temperature, Cathodically Protected Pipelines, 11-20
Effect of Hydrocarbon Leak Detection Sensors on Pipeline Cathodic Protection, 5-24
'Fail-safe' Tape System Used in Conjunction with Cathodic Protection, 6-34
Investment Criteria Applied to Corrosion Engineering, 3-18
Magnesium Anodes—A Quality Crisis?, 1-28
Performance Efficiency of High-Potential Mg Anodes for Cathodically Protecting Iron Water Mains, 5-28
Reel-laying of Rigid Pipelines, 10-24
Rehabilitation of the Cathodic Protection System of a Sour Gas-Gathering System, 8-24
Resistance of Impressed Current Grid Anodes for Aboveground Storage Tank Bottoms, 9-18
Stray Current Mapping Enhances Direct Assessment of an Urban Pipeline, 6-26
Using Electrical Resistance Soil Corrosion Probes to Determine Cathodic Protection Effectiveness in High-Resistivity Soils, 6-20
Using Failure Probability Plots to Evaluate the Effectiveness of 'Off' vs 'On' Potential CP Criteria, 9-22

CHEMICAL TREATMENT
Aluminum Compounds Cause Operational Problems in a Reverse Osmosis Plant, 5-44
Comparison of Inhibitors MCl and $NaNO_2$ in Carbonation-Induced Corrosion, 1-42
Corrosion Auditing in a Petrochemical Complex, 12-42
Dry Air Injection to Control Corrosion Under Thermal Insulation, 11-38
Failure Avoidance: DNA Sequencing Pinpoints Corrosion-Causing Bacteria, 3-42
Inhibition and Growth Control of Colloidal Silica: Designed Chemical Approaches, 4-38
Internal Monitoring in Deepwater Production Flowlines, 8-42
MIC Control in Seawater Pipelines of an Offshore Injection System, 2-38
Phorgotten Phenomena: Is Your Integrity Management Program Worth the Paper It's Printed On?, 6-50
Reliability Improvement in High-Pressure Boilers, 9-38
Solubility of Calcium Sulfate Scale in Cooling Waters, 10-36
Using Corrosion Inhibitors to Avoid Damage to Reinforced Concrete, 1-48

COATINGS
A Novel Surface Coating Incorporating Copper Metal Flakes for Reducing Biofilm Attachment, 10-30
Coating Instrument Series: Determining the Base Metal Reading for a Type II Constant Pressure Probe Gauge, 1-36
Coating Instrument Series: Monitoring Environmental Conditions, 2-28
Coating Instrument Series: Using Ultrasonic Coating Thickness Gauges, 9-30
Coating Quality Assurance for Trenchless Steel Pipeline Installations, 2-32
Corrosion Basics: Advantages of Using Zinc Preconstruction Primers, 12-60
Corrosion Basics: Coating Repair and Maintenance, 11-58
Corrosion Basics: Coating Selection, 1-62
Corrosion Basics: Effects of Coating on Corrosion and Cathodic Protection, 6-68
Corrosion Basics: Effects of Corrosion and Cathodic Protection on a Coating, 9-60
Corrosion Basics: Types of Surface Preparation for Protective Coatings, 3-60
Corrosion Protection and Condition Monitoring Using 'Smart' Appliqués, 8-32
Development and Testing of a Field-Applied Coating for High-Temperature, Cathodically Protected Pipelines, 11-20
Holiday Detection for Potable Water Tanks, 3-36
Hot-Applied Microcrystalline Wax as a Long-Term, Cost-Effective Pipeline Recoating Solution, 6-42
Improving Corrosion Resistance of Missile Igniters with Polymer-Based Coatings, 3-30
NDT Inspection of Insulated Vessels and Piping for Interior Corrosion and Corrosion Under Insulation, 4-28
Old Warriors Get New Armor, 4-16
Phorgotten Phenomena: Application of Industrial Protective Coatings, 5-38
Phorgotten Phenomena: Pot Life and Recoat Variables, 11-32
Surface Preparation Chemicals for Salt Decontamination or Flash Rust Inhibition, 11-28
U-Boat's True Identity Surfaces, 11-16

CONCRETE
Comparison of Inhibitors MCl and $NaNO_2$ in Carbonation-Induced Corrosion, 1-42
Using Corrosion Inhibitors to Avoid Damage to Reinforced Concrete, 1-48

CORROSION BASICS
Advantages of Using Zinc Preconstruction Primers, 12-60
Coating Repair and Maintenance, 11-58
Coating Selection, 1-62
Effects of Coatings on Corrosion and Cathodic Protection, 6-68
Effects of Corrosion and Cathodic Protection on a Coating, 9-60

2004 MP Index

A Guide to *MP* Volume 43
2004 Subject Index

This is an alphabetical listing of primary topics included in Volume 43 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 73.

ANODES
See also CATHODIC AND ANODIC PROTECTION
Magnesium Anodes—A Quality Crisis?, 1-28
Performance Efficiency of High-Potential Mg Anodes for Cathodically Protecting Iron Water Mains, 5-28
Resistance of Impressed Current Grid Anodes for Aboveground Storage Tank Bottoms, 9-18

BACTERIA
See MICROBIAL ATTACK

CATHODIC AND ANODIC PROTECTION
See also ANODES
A Permanently Buried Clamp-on Direct Current Ammeter Sensor, 2-20
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Case Study: Silicon Iron as an Alternative to Copper Grounding Electrodes—Impact on Cathodic Protection, 12-20
Cathodic Protection of Fuel Pipelines Under Difficult Conditions at a Commercial Airport, 1-24
Cathodic Protection of Well Casings in Abu Dhabi, 8-18
Controlling Corrosion of Port Infrastructure, 10-20
Corrosion Basics: Effects of Coating on Corrosion and Cathodic Protection, 6-68
Corrosion Basics: Effects of Corrosion and Cathodic Protection on a Coating, 9-60
Corrosion Basics: Electrolyte Resistivity, p. 66
Corrosion Control on Tank Bottoms Within Spill-Containment Systems, 3-22
Development and Testing of a Field-Applied Coating for High-Temperature, Cathodically Protected Pipelines, 11-20
Effect of Hydrocarbon Leak Detection Sensors on Pipeline Cathodic Protection, 5-24
'Fail-safe' Tape System Used in Conjunction with Cathodic Protection, 6-34
Investment Criteria Applied to Corrosion Engineering, 3-18
Magnesium Anodes—A Quality Crisis?, 1-28
Performance Efficiency of High-Potential Mg Anodes for Cathodically Protecting Iron Water Mains, 5-28
Reel-laying of Rigid Pipelines, 10-24
Rehabilitation of the Cathodic Protection System of a Sour Gas-Gathering System, 8-24
Resistance of Impressed Current Grid Anodes for Aboveground Storage Tank Bottoms, 9-18
Stray Current Mapping Enhances Direct Assessment of an Urban Pipeline, 6-26
Using Electrical Resistance Soil Corrosion Probes to Determine Cathodic Protection Effectiveness in High-Resistivity Soils, 6-20
Using Failure Probability Plots to Evaluate the Effectiveness of 'Off' vs 'On' Potential CP Criteria, 9-22

CHEMICAL TREATMENT
Aluminum Compounds Cause Operational Problems in a Reverse Osmosis Plant, 5-44
Comparison of Inhibitors MCl and $NaNO_2$ in Carbonation-Induced Corrosion, 1-42
Corrosion Auditing in a Petrochemical Complex, 12-42
Dry Air Injection to Control Corrosion Under Thermal Insulation, 11-38
Failure Avoidance: DNA Sequencing Pinpoints Corrosion-Causing Bacteria, 3-42
Inhibition and Growth Control of Colloidal Silica: Designed Chemical Approaches, 4-38
Internal Monitoring in Deepwater Production Flowlines, 8-42
MIC Control in Seawater Pipelines of an Offshore Injection System, 2-38
Phorgotten Phenomena: Is Your Integrity Management Program Worth the Paper It's Printed On?, 6-50
Reliability Improvement in High-Pressure Boilers, 9-38
Solubility of Calcium Sulfate Scale in Cooling Waters, 10-36
Using Corrosion Inhibitors to Avoid Damage to Reinforced Concrete, 1-48

COATINGS
A Novel Surface Coating Incorporating Copper Metal Flakes for Reducing Biofilm Attachment, 10-30
Coating Instrument Series: Determining the Base Metal Reading for a Type II Constant Pressure Probe Gauge, 1-36
Coating Instrument Series: Monitoring Environmental Conditions, 2-28
Coating Instrument Series: Using Ultrasonic Coating Thickness Gauges, 9-30
Coating Quality Assurance for Trenchless Steel Pipeline Installations, 2-32
Corrosion Basics: Advantages of Using Zinc Preconstruction Primers, 12-60
Corrosion Basics: Coating Repair and Maintenance, 11-58
Corrosion Basics: Coating Selection, 1-62
Corrosion Basics: Effects of Coating on Corrosion and Cathodic Protection, 6-68
Corrosion Basics: Effects of Corrosion and Cathodic Protection on a Coating, 9-60
Corrosion Basics: Types of Surface Preparation for Protective Coatings, 3-60
Corrosion Protection and Condition Monitoring Using 'Smart' Appliqués, 8-32
Development and Testing of a Field-Applied Coating for High-Temperature, Cathodically Protected Pipelines, 11-20
Holiday Detection for Potable Water Tanks, 3-36
Hot-Applied Microcrystalline Wax as a Long-Term, Cost-Effective Pipeline Recoating Solution, 6-42
Improving Corrosion Resistance of Missile Igniters with Polymer-Based Coatings, 3-30
NDT Inspection of Insulated Vessels and Piping for Interior Corrosion and Corrosion Under Insulation, 4-28
Old Warriors Get New Armor, 4-16
Phorgotten Phenomena: Application of Industrial Protective Coatings, 5-38
Phorgotten Phenomena: Pot Life and Recoat Variables, 11-32
Surface Preparation Chemicals for Salt Decontamination or Flash Rust Inhibition, 11-28
U-Boat's True Identity Surfaces, 11-16

CONCRETE
Comparison of Inhibitors MCl and $NaNO_2$ in Carbonation-Induced Corrosion, 1-42
Using Corrosion Inhibitors to Avoid Damage to Reinforced Concrete, 1-48

CORROSION BASICS
Advantages of Using Zinc Preconstruction Primers, 12-60
Coating Repair and Maintenance, 11-58
Coating Selection, 1-62
Effects of Coatings on Corrosion and Cathodic Protection, 6-68
Effects of Corrosion and Cathodic Protection on a Coating, 9-60

2004 MP Index

A Guide to *MP* Volume 43
2004 Subject Index

Electrolyte Resistivity, 8-66
Heat Treatment of Metals, 4-58
Localized Forms of Corrosion, 2-54
Nickel and Its Chromium-Free Alloys, 10-50
Types of Surface Preparation for Protective Coatings, 3-60
Water Treatment for Cooling Systems, 5-62

FEATURE ARTICLES (VARIOUS SUBJECTS)
At Her Majesty's Service, 10-14
Average Salaries Edge Upward and Downward, 1-16
CORROSION/2004 Program Preview, 3-67
CORROSION/2004 Recap, 6-75
CORROSION/2005 Advance Program, 10-A1
Education Supplement: Universities and Colleges Offering Corrosion Studies, 11-65
How to Get Published in 2005 *MP*, 10-17
Management of Stress Corrosion Cracking on Pipelines, 6-16
NACE Foundation Activities: A 2-Year Wrapup, 9-16
NACE Foundation Announces New Scholarships for CORROSION/2005, 8-16
New Research May Explain Pinholes in Copper Tubing, 5-18
Old Warriors Get New Armor, 4-16
Preventing Another *Erika*, 2-16
U-Boat's True Identity Surfaces, 11-16

GAS
See OIL AND GAS PRODUCTION

INHIBITORS
See CHEMICAL TREATMENT

INSPECTION & INSTRUMENTATION
A Permanently Buried Clamp-on Direct Current Ammeter Sensor, 2-20
Coating Instrument Series: Determining the Base Metal Reading for a Type II Constant Pressure Probe Gauge, 1-36
Coating Instrument Series: Monitoring Environmental Conditions, 2-28
Coating Instrument Series: Using Ultrasonic Coating Thickness Gauges, 9-30
Coating Quality Assurance for Trenchless Steel Pipeline Installations, 2-32
NDT Inspection of Insulated Vessels and Piping for Interior Corrosion and Corrosion Under Insulation, 4-28
Stray Current Mapping Enhances Direct Assessment of an Urban Pipeline, 6-26
Using Electrical Resistance Soil Corrosion Probes to Determine Cathodic Protection Effectiveness in High-Resistivity Soils, 6-20

LININGS
Dry Air Injection to Control Corrosion Under Thermal Insulation, 11-38
'Fail-safe' Tape System Used in Conjunction with Cathodic Protection, 6-34
Using PPS-Lined Fiberglass-Reinforced Plastic Pipe for Hot Sodium Hydroxide in a Chlorine Electrolysis Plant, 12-32

LOCALIZED ATTACK
See MICROBIAL ATTACK

MARINE ENVIRONMENTS
See OFFSHORE STRUCTURES; SEAWATER

MATERIALS SELECTION & DESIGN
Analysis of N80 BTC Downhole Tubing Corrosion, 10-46
Case History: MIC Problems in Base Metal of Welded Type 316L Stainless Steel Tube, 2-48
Computerized Mathematical Model to Determine Corrosion Costs, 5-54
Corrosion Basics: Heat Treatment of Metals, 4-58
Corrosion Basics: Localized Forms of Corrosion, 2-54
Corrosion Basics: Nickel and Its Chromium-Free Alloys, 10-50
Expert Consensus on MIC: Prevention and Monitoring, Part 1, 3-50
Expert Consensus on MIC: Failure Analysis and Control, Part 2, 4-46
Failure Analysis: Corrosion of a Cooling Pipe Elbow in an Oxidative Chlorination Reactor at a Chlorine and Alkali Factory, 4-54
Failure Analysis: Failure of Micron Cartridge Filter Components in a Seawater Reverse Osmosis Plant, 12-52
Failure Analysis of an Incineration Process Thermowell, 5-50
Failure Analysis: Pitting of Copper by Carbonized Oil, 4-52
Failure Avoidance: Corrosion Control of Vertical Turbine Pumps in Warm Seawater Applications, 11-52
Fracture Mechanics and Environmental Cracking of Steels in Corrosive Environments, 8-58
Performance of a 40-Year-Old Concrete Bridge with Embedded, Prestressed Galvanized Strands, 10-42
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 1, 8-52
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 2, 9-46
Pipeline Integrity Information Integration, 6-56
Present Levels of Corrosion Protection on Ferrous Water Piping in Municipal Infrastructure: A Manufacturer's Perspective, 1-54
Protecting Outdoor Military Monuments with Corrosion Prevention Compounds, 2-44
Stress Corrosion Cracking of Nuclear Transmutation Structural Materials, 9-52
The ASME Standard for Fiberglass Reinforced Plastic Vessels is Adopted into Delaware Code, 12-48
Understanding the Microstructure of Overheated Carbon Steel, 11-46

MICROBIAL ATTACK
A Novel Surface Coating Incorporating Copper Metal Flakes for Reducing Biofilm Attachment, 10-30
Case History: MIC Problems in Base Metal of Welded Type 316L Stainless Steel Tube, 2-48
Failure Avoidance: DNA Sequencing Pinpoints Corrosion-Causing Bacteria, 3-42
MIC Control in Seawater Pipelines of an Offshore Injection System, 2-38
New Research May Explain Pinholes in Copper Tubing, 5-18
Part 1—Expert Consensus on MIC: Prevention and Monitoring, 3-50
Part 2—Expert Consensus on MIC: Failure Analysis and Control, 3-46

OFFSHORE STRUCTURES
See also SEAWATER
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Controlling Corrosion of Port Infrastructure, 10-20
MIC Control in Seawater Pipelines of an Offshore Injection System, 2-38
Performance of a 40-Year-Old Concrete Bridge with Embedded, Prestressed Galvanized Strands, 10-42

OIL AND GAS PRODUCTION
See also REFINERIES
Analysis of N80 BTC Downhole Tubing Corrosion, 10-46
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Cathodic Protection of Well Casings in Abu Dhabi, 8-18

2004 MP Index

A Guide to *MP* Volume 43
2004 Subject Index

Internal Monitoring in Deepwater Production Flowlines, 8-42
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 1, 8-52
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 2, 9-46
Rehabilitation of the Cathodic Protection System of a Sour Gas-Gathering System, 8-24

PAINT
See COATINGS

PIPELINES
Analysis of N80 BTC Downhole Tubing Corrosion, 10-46
A Permanently Buried Clamp-on Direct Current Ammeter Sensor. 2-20
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
Cathodic Protection of Fuel Pipelines Under Difficult Conditions at a Commercial Airport, 1-24
Coating Quality Assurance for Trenchless Steel Pipeline Installations, 2-32
Corrosion Basics: Electrolyte Resistivity, 8-66
Development and Testing of a Field-Applied Coating for High-Temperature, Cathodically Protected Pipelines, 11-20
Effect of Hydrocarbon Leak Detection Sensors on Pipeline Cathodic Protection, 5-24
'Fail-safe' Tape System Used in Conjunction with Cathodic Protection, 6-34
Failure Analysis: Corrosion of a Cooling Pipe Elbow in an Oxidative Chlorination Reactor at a Chlorine and Alkali Factory, 4-54
Hot-Applied Microcrystalline Wax as a Long-Term, Cost-Effective Pipeline Recoating Solution, 6-42
Internal Monitoring in Deepwater Production Flowlines, 8-42
Management of Stress Corrosion Cracking on Pipelines, 6-16
New Research May Explain Pinholes in Copper Tubing, 5-18
NDT Inspection of Insulated Vessels and Piping for Interior Corrosion and Corrosion Under Insulation, 4-28
Phorgotten Phenomena: Is Your Integrity Management Program Worth the Paper It's Printed On?, 6-50
Pipeline Integrity Information Integration, 6-56
Present Levels of Corrosion Protection on Ferrous Water Piping in Municipal Infrastructure: A Manufacturer's Perspective, 1-54
Reel-laying of Rigid Pipelines, 10-24
Rehabilitation of the Cathodic Protection System of a Sour Gas-Gathering System, 8-24
Stray Current Mapping Enhances Direct Assessment of an Urban Pipeline, 6-26
Using PPS-Lined Fiberglass-Reinforced Plastic Pipe for Hot Sodium Hydroxide in a Chlorine Electrolysis Plant, 12-32

PITTING ATTACK
See MICROBIAL ATTACK

REBAR
See CONCRETE

REFINERIES
See also OIL AND GAS PRODUCTION
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Corrosion Auditing in a Petrochemical Complex, 12-42
Reliability Improvement in High-Pressure Boilers, 9-38

SEAWATER
See also OFFSHORE STRUCTURES
Assessing Internal Cathodic Protection for Seawater Collection Pipelines at Oil Platforms, 4-20
At Her Majesty's Service, 10-14
Case History: Cathodic Protection of Reinforced Concrete Seawater Structures in Petrochemical Plants, 12-26
Controlling Corrosion of Port Infrastructure, 10-20
Failure Avoidance: Corrosion Control of Vertical Turbine Pumps in Warm Seawater Applications, 11-52
Failure Analysis: Failure of Micron Cartridge Filter Components in a Seawater Reverse Osmosis Plant, 12-52
MIC Control in Seawater Pipelines of an Offshore Injection System, 2-38
Performance of a 40-Year-Old Concrete Bridge with Embedded, Prestressed Galvanized Strands, 10-42
Preventing Another Erika, 2-16
U-Boat's True Identity Surfaces, 11-16

STEELS, CARBON
Fracture Mechanics and Environmental Cracking of Steels in Corrosive Environments, 8-58
Understanding the Microstructure of Overheated Carbon Steel, 11-46

STEELS, STAINLESS
Case History: MIC Problems in Base Metal of Welded Type 316L Stainless Steel Tube, 2-48
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 1, 8-52
Performance of Austenitic Stainless Steels in Wet Sour Gas—Part 2, 9-46

TANKS
Corrosion Control on Tank Bottoms Within Spill-Containment Systems, 3-22
Holiday Detection for Potable Water Tanks, 3-36
Resistance of Impressed Current Grid Anodes for Aboveground Storage Tank Bottoms, 9-18
The ASME Standard for Fiberglass Reinforced Plastic Vessels is Adopted into Delaware Code, 12-48

WATER AND WASTE WATER
Corrosion Basics: Water Treatment for Cooling Systems, 5-62
Holiday Detection for Potable Water Tanks, 3-36
New Research May Explain Pinholes in Copper Tubing, 5-18
Present Levels of Corrosion Protection on Ferrous Water Piping in Municipal Infrastructure: A Manufacturer's Perspective, 1-54
Performance Efficiency of High-Potential Mg Anodes for Cathodically Protecting Iron Water Mains, 5-28

A searchable online index to *MP* articles and authors is available on the NACE Web site that goes back to 1962. Go to www.nace.org and click on the "Publications Online" link. From there access MPLit to search for articles by author, title, or key word.

MP MATERIALS PERFORMANCE
CORROSION PREVENTION AND CONTROL WORLDWIDE

2004 MP Index

Author Index

Al-Hajri, M., 12-52
Allenby, M., 5-44
Almeraya-Calderón, F., 5-24
Al-Muaili, F., 12-52
Al-Mutlaq, F., 12-26
Al-Refaie, A.A., 5-50
Al-Yami, B., 5-50
Amaya, M., 2-38
Amos, W.M., 3-36
Amos, G.A., 3-36
Andijani, I.N., 12-52
Aponte, B., 5-54
Arias, S., 5-54

Bairamov, A.K., 5-50, 12-26
Baptista, W., 4-20
Barrios Durstewitz, C., 5-24
Beamish, D., 2-28, 9-30
Bhaskaran, R., 12-42
Biezma, M.V., 3-18
Brasil, S.L.D.C., 4-20
Broomfield, J.P., 10-20

Castro, P., 10-42
Chaudhary, Z., 12-26
Chen, J.-M., 3-30
Cottingham, B.R., 11-38
Cotton, I., 9-38
Craig, B., 8-58
Craigie, L., 12-48
Crutchfield, C.A., 4-52

Dalgleish, A.W., 8-32
Davis, G.D., 8-32
Deason, D., 8-32
Dechant, D.A., 1-54
de García, F.F., 5-54
Demadis, K.D., 4-38
Demoz, A., 9-18
de Rincón, O.T., 5-54
de Romero, M.F., 5-54
Dewitt-Dick, D., 9-38
Dillon, C.P., 10-50

Eden, D.C., 8-42
Elliott, T., 8-16, 9-16
Esaklul, K.A., 8-42

Fernandez, R., 12-26
Fletcher, J.F., 1-36
Friesen, W., 9-18

Gaidis, J.M., 1-48
Gaona-Tiburcio, C., 5-24
Gibbon, D., 3-42
Gillespie, J.D., 11-54
Gummow, R.A., 5-28
Guo, Z.-S., 3-30
Guoxian, Z., 10-46
Guozheng, Z., 10-46

Hailong, S., 1-42
Hau, J.L., 11-46
Hector, B.S., 2-44
Helene, P., 10-42
Hernández, J.A., 2-38
Hossain, M.K., 9-52

Ibarra Gómez, R., 5-24

Jacobson, G., 10-17
Jacobson, K., 12-32
Jayachandran, M., 12-42
Jiang, Q., 4-54

Kacicnik, A., 6-26
Khan, N.A., 6-20
Klechka, E., 6-50
Klotz, D., 1-24
Kroon, D.H., 8-18

Larreal, O., 5-54
Li, J.C., 4-54
Li, T.-H., 3-30
Lichtenstein, J., 5-38

Malik, A.U., 12-52
Márquez Lucero, A., 5-24
Martínext-Villafane, A., 5-24
Mateer, M., 9-22
May, T.F., 1-28
Metosh-Dickey, C.A., 10-30
Miksic, B.A., 1-42
Mingyuan, Z., 10-46
Mingxu, L., 10-46
Mobin, M., 12-52
Moosavi, A.N., 8-18
Munro, I., 12-20

Neofotistou, E., 4-38
Nixon, R.W., 3-22
Norsworthy, R., 6-34. 11-20
Núnez Jaques, R., 5-24

Ogden, M.W., 2-32

Palaniswamy, N., 12-42
Parker, G., 6-26
Pechacek, R.W., 4-28
Perdomo, J.J., 2-48
Pereira, M.F., 10-42
Peters, H., 11-28
Pike, T., 9-38
Portier, R.J., 10-30
Prabhakaran, R., 9-52

Rampton, F., 6-42
Rankin, L.G., 6-56
Reisige, T., 8-24
Rengaswamy, N.S., 12-42
Roberge, P.R., 2-44
Romero, J.M., 2-38
Rosenberg, A., 1-48
Roy, A.K., 9-52

Sama, S., 9-52
San Cristóbal, J.R., 3-18
Schuessler, S., 12-32
Scott, P.J.B., 3-50, 4-46
Shuanlu, L., 10-46
Singh, V., 8-52, 9-46
Smith, G., 1-54
Sneath, O., 12-20
Spry, T.D., 2-48
Srinivasan, P., 12-42
Suckut, T., 8-24
Swain, W.H., 2-20

Tawns, A., 10-24
Telles, J.C.F., 4-20

Vargo, T.G., 8-32
Veazey, M.V., 1-16, 2-16, 4-16, 5-18, 6-16, 10-14, 11-16, 12-16
Vincent, L.D., 11-32

Wang, W., 10-36
Warnke, D.H., 6-26
Weber, T.J., 6-42
Williams, G.D., 8-18

Xiao, J., 3-30
Xie, X., 10-30

Yin, R.C., 5-50
Yongmo, X., 1-42

Zhang, Q.-Y., 3-30
Zhao, M., 4-54
Zhou, H.-D., 3-30
Zuckut, S.W., 8-24